Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

| | | | ` | 0 - 1 |
|-----|---|--|---|------------------|
| | | | | |
| | | | | |
| | | | | |
| | | | ÷ | |
| | | | | |
| 1.2 | | | > | - 1 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | • | | | |
| | | | | |
| | | | | |

Spring 1936

DERAFIX

BENEVIOLEN B

U.S. Department of Authorities.

*

Perennial Nurseries

· Painesville, Okio ·

ALVA H. SMITH

R. F. D. No. 2

PAINESVILLE, OHIO

WE GUARANTEE

All Stock to be Absolutely Satisfactory
All Express Shipments to Arrive in
Good Condition

All Plants to be True to Variety

OUR TERMS to customers whose responsibility and credit is known to us: 30 DAYS NET FROM DATE OF INVOICE. On 60 day accounts and older, 6 per cent interest will be charged. We offer a discount of 2 per cent for CASH WITH ORDER OR PAYMENT OF ACCOUNT IN FULL WITHIN 10 DAYS FROM DATE OF SHIPPING INVOICE.

[6 plants at 12 rate; 25 plants at 100 rate]

We Specialize in Prompt, Efficient Service

Tell us when your dealings with us are not to your absolute satisfaction

ATTENTION

RICES LISTED HEREIN ARE FOR THE TRADE ONLY. All stock listed is subject to being sold at the time your order is received. All prices listed are for strong, 2-year-old, field-grown plants unless otherwise noted. Our only packing charge is for the boxes used, which are billed to you at cost. No charge is made, however, on cash orders.

Our first aim in all dealings is to please, for we know that only by so doing can our success continue. Everyone will concede that we must also profit by our transactions. In setting our prices, we have placed them as low as we can, considering the quality of stock we maintain, and still receive a reasonable return for our services.

All complaints other than those concerning variety of stock must be made within six days from receipt of goods, whereupon you will find us ready and willing to make prompt adjustment. Complaints for stock untrue to variety must be made at first blooming. Otherwise, no claims will be entertained.

We will in no way be responsible for productiveness of stock after it has been satisfactorily received by you, nor will we at any time be liable for more than the original purchase price of plants received.

Inquiries and want-lists will be given prompt and careful attention

| ACHILLEA—Boule de Neige (Ball of Snow). An improved variety of the Pearl. Valuable for border and cutting. | Per 12 | Per 100 |
|---|--------|---------|
| 1½ feet | .75 | 5.00 |
| Tomentosa. (Wolly Yarrow). A blanket of yellow flowers, very showy in the rockery, leaves wollyMillefolium Roseum (Rosy Milfoil). A very attractive form, leaves finely cut, flowers bright pink in dense | 1.00 | 6.00 |
| heads. Height 1½ feetACONITUM (Monkshood). The flowers are very showy, shaped like a helmet or hood from which the common name is derived. The leaves are of a lustrous green. All stock good and healthy and first class tubers. As this plant starts very early, we advise fall planting. | 1.25 | 7.00 |
| Fischeri. Azure blue. October. 3 feetSpark's Variety. Darkest blue of all varieties. July and | 1.25 | 7.00 |
| August. 2½ and 3 feet Wilsoni. True variety, mauve colored flowers. Hollyhock | 2.00 | 10.00 |
| type 6 to 9 feet. October | 3.00 | 15.00 |
| AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May | 1.00 | 6.00 |
| ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clusters, blooms practically all summerSaxatile Campactum (Basket of Gold). Used for borders, | 1.00 | 6.00 |
| grayish-green leaves with brilliant golden flowers early in spring | 1.00 | 6.00 |
| plant of dark blue flowers in profusion, 4 to 5 feet in height. Blooms in mid-summer | 1.00 | 6.00 |
| ers; finds a place readily in any rockery ANEMONE Pulsatilla (Pasque Flower). One of the early blooming plants in the rockery. The flowers are of a | 1.50 | 8.00 |
| purplish cast on 9 to 12 inch stems | 1.50 | 8.00 |
| ANTHEMIS—Kelwayii (Hardy Marguerite). The yellow daisy. Valuable as a cut flower, 2 feetAUBRIETA—Graeca (Purple Rock Cress). Very attractive, | 1.25 | 7.00 |
| resembles Arabis in growing appearance, flowers of a bright purple | 1.50 | 8.00 |
| AQUILEGIA—(Columbine). One of the best perennials found in the border. Blooms in the early summer. Valuable for cutting and also used in rock gardens. 18 inches. | | |
| Dobbies Imperial Hybrids. New, long spurred hybrids of a large range of colors | 1.25 | 7.00 |
| Mrs. Scott Elliott. Mixed colors, long spurredARABIS—Alpinus (Rock Cress). This rock plant blooms soon after snow leaves in the spring. The spreading | 1.25 | 7.00 |
| nature of this plant makes a nice show of white blossoms in the awakening rock garden; 6 to 8 inches Procurens. A ground cover, leaves glossy ever- | | 6.00 |
| green, flowers in latter part of April, extending into May. Very attractive white flowers, for the early rock gardenARMERIA—(Sea Pink). Used for rock garden planting, clumps of grass like foliage with small clusters of flowers on stiff wiry stems. 8 to 12 inches. | 1.50 | 8.00 |
| Laucheana. Flowers bright rosy red. 6 inches high. May and June | 1.25 | 7.00 |
| | | |

| ADENIADIA C V. (Condenant) Not forming | Per 12 | Per 100 |
|---|--------|---------|
| ARENARIA—Caespitosa Vera (Sandwort). Mat forming | | |
| plant. Very attractive when placed among flag-stones | 1.50 | 8.00 |
| in garden walks ARTEMISIA—Lactiflora (Mugwort). Finely cut foliage | 1.00 | 0.00 |
| with fragrant creamy white flowers. 4 feet. August | 1.00 | 6.00 |
| Silver King (Ghost Plant). Silver foliage that is used | 1.00 | 0.00 |
| considerably when dried | 1.50 | 8.00 |
| ASCLEPIAS —Tuberosa. (Butterfly Weed.) Is one of the | 1.00 | 0.00 |
| most attractive native plants. Flat topped clusters of | | |
| orange red flowers during July and August. 2 feet | 1.00 | 6.00 |
| HARDY ASTER—(Michaelmas Daisies.) These plants are | 2.00 | 0.00 |
| valuable as their blooming periods are at a time when | | |
| flowers are few. | | |
| Abendrothe. Rose, 4 feet | 1.50 | 8.00 |
| Climax. One of the best, 4 feet. Lavender-blue | 1.50 | 8.00 |
| Mauve Cushion. Dwarf growing, soft mauve, 10 inches | 1.50 | 8.00 |
| St. Edgwin. Soft pink, 2½ feet | 1.50 | 8.00 |
| White Climax. Strong growing, White flowers | 1.50 | 8.00 |
| ASTER—Alpinus. This alpine plant blooms in May and | | |
| June The flowers are of purplish blue and very showy. | | |
| 8 to 10 inches | 1.25 | 7.00 |
| BAPTISIA—Australis (False Indigo). A plant that should | | |
| be used more. Is very striking, flowers of dark blue. | | |
| 2 feet | 1.25 | 7.00 |
| BOCCONIA—Cordata (Plume Poppy). Very large leaves | | |
| of silvery green. Flowers of creamy white produced | | |
| on upright panicles. Background subject growing to a | | |
| height of 8 feet | 1.50 | 8.00 |
| BOLTONIA—(False Chamomile). Tall growing, aster-like | | |
| flowers, useful for cutting. | 7 - | F 00 |
| Asteroides. Pure white, 6 feet | .75 | 5.00 |
| Latisquama. Lavender-pink, 5 feetCALAMINTHA—Alpina. A very good trailer for the rock- | .75 | 5.00 |
| ery. Thrives well in a sunny position. Flowers of deep | | |
| blue during June and throughout the summer | 1.50 | 8.00 |
| CAMPANULA—(Bellflower). There is not a group of | 1.00 | 0.00 |
| flowers which possess such rare beauty. | | |
| Media (Canterbury Bell). Blue, rose and white | 1.00 | 6.00 |
| Calycanthema (Cup and Saucer). Blue, rose and white_ | 1.00 | 6.00 |
| Carpatica (Carpathian Hare Bell). Blue | 1.25 | 7.00 |
| CARNATION—Grenadin. An abundance of double and | | |
| semi-double flowers all summer. Useful for cutting, | | |
| either commercially or in the garden. The hardiest | | |
| out-door carnations in the following colors: Pink, Red, | | |
| and White | 1.50 | 8.00 |
| Hardy Harvard. 1935 introduction to the trade. Grow. | | |
| ing habits resembling the "Crimson King" variety, | | |
| but much hardier. Flowers of a velvet crimson, pro- | | |
| duced on large stately stems, making a desirable cut | | |
| flower. Blooming from June until frost. Field plants | 2.50 | 15.00 |
| CASSIA-Marilandica (American Senna). Resembles a lo- | | |
| cust in growth, with yellow pea shaped flowers. 4 feet | 1.25 | 7.00 |
| CENTAUREA—Montana (Mountain Bluet). Fine border | • | |
| plant and very showy. 18 inches high | 1.00 | 6.00 |
| Dealbata. Lilac pink, cut leaves | 1.00 | 6.00 |
| Macrocephala. Thistle-like flower of yellow, blooms in | | |
| July and August. 4 feet | 1.00 | 6.00 |
| CERASTIUM-Tomentosum (Snow in Summer). This rap- | _ | _ |
| id growing perennial is useful for an early blooming | | |
| plant in the rockery. Flowers white. 6 inches | 1.00 | 6.00 |
| | | |

| | Per 12 | Per 100 |
|---|--------|---------|
| CHIERANTHUS—Allioni (Wallflower). This is not a per- | | |
| ennial but a biennial. But has been one of the leading | | |
| plants in the rockery for color effect. The flowers are | | |
| of fiery orange and grows to a height of 10 inches | 1.00 | 6.00 |
| CHRYSANTHEMUMS—These late fall blooming plants are | | |
| gaining more favor each season. Furnishing fine cut- | | |
| flowers from October to November. | | |
| Alice Howell. Orange yellow, large | 1.00 | 6.00 |
| Autumn Glow. Rose Crimson, large | 1.00 | 6.00 |
| Boston Bronze. Bronze, large | 1.00 | 6.00 |
| Eva. Dwarf, pink, large, | 1.00 | 6.00 |
| Fields of Snow. White button | 1.00 | 6.00 |
| Golden Queen. Large, pure yellow | 1.00 | 6.00 |
| Indian Red. Crushed strawberry red | 1.00 | 6.00 |
| L. Argentuillas. Large, scarlet, tipped yellow | 1.00 | 6.00 |
| Lillian Doty. Deep pink, excellent form | 1.00 | 6.00 |
| Little Bob. Red button, showy | 1.00 | 6.00 |
| Marie Antoinette. Pink, large | 1.00 | 6.00 |
| M. Roule. Large Bronze, very showy | 1.00 | 6.00 |
| Old Homestead. Large rose pink | 1.00 | 6.00 |
| | 1.00 | 6.00 |
| Skibo. Yellow button | 1.00 | 6.00 |
| Victory. Dwarf, white, large | 1.00 | 0.00 |
| CIMICIFUGA—Racemosa (Black Cohosh). A very tall- | | |
| growing plant gaining more favor each season as a | | |
| backbround subject. Flowers are small but in large | 1 00 | c 00 |
| clusters, pure white. 4 feet | 1.00 | 6.00 |
| CLEMATIS—Recta (Shrubby Clematis). A perennial | | |
| Clematis, white and fragrant flowers in clusters. June | | 0.00 |
| and July. 2 to 3 feet | 1.50 | 8.00 |
| CONVALLARIA—(Lily of the Valley). A desirable plant | | |
| for planting along walks in beds. Very fragrant | | ~ ^^ |
| white flowers. Strong pips | .75 | 5.00 |
| COREOPSIS—Lanceolata (Tickseed). One of the oldest | | |
| but still a favorite, good yellow daisy-like cut flower | | |
| for practically all summer cutting | 1.00 | 6.00 |
| DAISY-Shasta King Edw. VII (Chrysanthemum Maxi- | | |
| mum). Improved Alaska daisy, large white flowers | | |
| valuable as a cut flower | 1.00 | 6.00 |
| Hartje and Elder (Mayflowering). Available for Me- | | |
| morial Day | 1.00 | 6.00 |
| DELPHINIUM—(Larkspur). No garden is complete if it | | |
| is not there, with all the striking shades of blue. The | | |
| most profitable cut flower in existence. | | |
| Belladonna. Light blue, blooms all summer, 1 year old | | |
| plants | .75 | 5.00 |
| Two year old clumps | 1.25 | 7.00 |
| Bellamosa. Dark blue, 1 year old plants | .75 | 5.00 |
| Two year old clumps | 1.25 | 7.00 |
| Blackmore and Langdon Hybrids. Our choice of the | | |
| English strains. Flowers of the most pleasing colors | | |
| and shades. 1 year | .75 | 5.00 |
| Two year | 1.25 | 7.00 |
| Gold Medal Hybrids. Mixed colors of the best shades of | | |
| blue. 1 year old clumps | .75 | 5.00 |
| Two year old clumps | 1.25 | 7.00 |
| DIANTHUS-Barbatus (Sweet William). Old fashioned | | |
| garden plant but still a favorite, ranging in a large | | |
| collection of colors | 1.00 | 6.00 |
| Johnson's Giant. Strong growing variety, mixture of | | |
| large-eyed sorts, dark colors | 1.00 | 6.00 |
| Plumarius (Clove Pinks). Old fashioned garden Pinks, | | |
| flowers fringed and very fragrant | 1.00 | 6.00 |
| | | |

| DIANTHUS—Deltoides (Maiden Pink). Good rock garden subject, trailer, dark green foliage and rosy pink | Per 12 | Per 100 |
|--|---------------------|----------------|
| flower | .75 | 5.00 |
| Spectabilis (True Bleeding Heart). This is the old-fashioned Bleeding Heart. Very valuable for cutting | 1.50 | 8.00 |
| and also forcing | 2.00 | 15.00 |
| Rubra. Red flowers, 2 feet high | $\frac{1.50}{1.50}$ | $8.00 \\ 8.00$ |
| DIGITALIS—Gloxiniaeflora (Foxglove). A very striking perennial for the border. Blooms of a thimble-shape in separate colors of rose, purple and white in July and | | |
| August Shirley Hybrids. Improved Gloxiniaeflora in a mixture | 1.25 | 7.00 |
| of colors | 1.50 | 8.00 |
| a very large yellow daisy. Blooming very early in spring. Fine for cutting. 2 feet | 1.50 | 10.00 |
| ECHINACEA—Purpurea (Purple Cone Flower). Very attractive, large daisy-like flowers with a large coneshaped center, reddish purple flowers from July to October. 3 feet | 1.00 | 6.00 |
| ECHINOPS—Ritro (Globe Thistle). Attractive thistle with large steel blue flowers which if cut and dried will keep natural color. Grows 3 feet high | 1.50 | 8.00 |
| EULALIA—Ornamental grasses, good for a tropical effect, and large beds, for edging ponds and streams. Gracillima Univittata (Japan Rush). Long green leaves | | |
| 4 to 5 feet high | 1.00 | 6.00 |
| and white | 1.00 | 6.00 |
| of yellow across leaves every 2 or 3 inches EUPATORIUM—Coelestinum (Mist Flower). Myriads of small azure-blue flowers. August to September. Val- | | 8.00 |
| uable for cutting purposes. 2 feet highEUPHORBIA—Corollata (Flowering Spurge). This plant | 1.25 | 7.00 |
| grows to a height of 3 feet. During the month of August it is covered with little white flowers. Very useful as a mixture with other cut flowers | | 6.00 |
| HARDY FERNS—For back ground subjects or group planting are unsurpassed. Will do well in a mixture of peat moss and light soil. | | |
| Adiantum Pedatum—(Maidenhair). Growth of this fern is the most delicate of all the ferns. But when estab- | | |
| lished, grows readily. Growth 12 to 18 inches. Stems black with curved frondsAspidium Acrostichoides—(Christmas Fern). A Evergreen type, showy in the winter, in protected places. | 1.50 | 8.00 |
| Fronds very deep green. Height 18 inches Aspidium Marginale—(Evergreen Wood Fern). Desirable for moist places. Fronds of a light green. Height | 1.50 | 8.00 |
| 18 inches | 1.50 | 8.00 |

| HARDY FERNS—Continued | Per 12 | Per 100 |
|---|--------|---------------|
| Onoclea Struthiopteris—(Ostrich Fern). The tallest of the fern group. Very stately as a back ground subject. Desirable when planted in group plantings. Height 3½ feet——————————————————————————————————— | 1.50 | 8 .0 0 |
| FESTUCA—Glauca (Blue Fescue). Dwarf grass of steel | 1.50 | 0.00 |
| blue. In tufts, growing about 4 inches high, used for borders or rockery | 1.00 | 6.00 |
| FUNKIA—Caerulea. Very large leaved variety, flowers of a lavender purple | 1.25 | 7.00 |
| Undulata Variegata (Plantain Lily). Very attractive when arranged around group of shrubs or rose beds. | | |
| Very valuable as a forcing plant for Memorial Day | 1.25 | 7.00 |
| shade, flowers of delicate lilac, good foundation plant Subcordata. Grand. Alba (White Day Lily). Very at- | .75 | 5.00 |
| tractive, large white sweet scented flowers in August | 1.50 | 8.00 |
| GAILLARDIA—Grandiflora (Blanket Flower). Deserves a place in all perennial gardens. Very striking range of | | |
| color; thrives well under all conditions. 1 1/2 to 2 feet | 1.00 | 6.00 |
| GENTIANA—Andrewsii (Bottle Gentian). The closed gentian, interesting because of the large blue buds it | | |
| forms which never open. 1½ feet high | 1.00 | 6.00 |
| GEUM—Lady Strathden (Avens). Very showy plants for | | |
| borders, also used for cutting purposes. Flowers of rich yellow, growing to height of 18 inches. Pots | 1.50 | 8.00 |
| Mrs. Bradshaw. Growing nature same as above, but flowers are of a rich crimson. Pots | 1.50 | 8.00 |
| GYPSOPHILA—Paniculata (Baby's Breath). Useful as | 1.00 | 0.00 |
| a filler and makes attractive winter boquet, misty- white flowers all summer. 1 year old roots | .60 | 4.00 |
| Strong two year roots | 1.00 | 6.00 |
| Bristol Fairy. A plant that was needed very much by the florist trade. Flowers of a large double white. Strong | | |
| grafted plants, field grown | 2.50 | 15.00 |
| Repens. Trailing from and very attractive when placed among rocks in the rockery. Flowers white and pink. | | |
| July and August | 1.25 | 7.00 |
| HELENINM—(Helen's Flower). These tall growing plants are very useful for back ground borders, and also | | |
| very popular as a cut flower. | • | |
| Autumnale Superbum. Deep golden yellow flowers, August and September. Height 2½ to 3 feet | 1.25 | 7.00 |
| HELIOPSIS—Excelsa (Orange Sunflower). Orange-yel- | | |
| low flowers on long stem. Good for cutting HEMEROCALLIS—Flava (Lemon Lily). Sweet scented | 1.00 | 6.00 |
| yellow flowers, Earliest to bloom. 3 feet high | 1.25 | 7.00 |
| Thumbergi. Later blooming lemon lilyHEPATICA—Triloba. A low growing native plant. Blooms | .75 | 5.00 |
| soon after snow leaves in spring. Is well worth while naturalizing | 1.00 | 6.00 |
| HEUCHERA—Brizoides (Coral Bells). Dainty refined edg- | 1.00 | 0.00 |
| ing and rockery plants; leaves escalloped and purple tinged in low tufts. Slender and upright stems of | | |
| light pink flowersSanguinea. Smaller grower than Brizoides. But flowers | 1.25 | 7.00 |
| of a bright coral crimson. 2 feet | 1.50 | 8.00 |
| HIBISCUS—(Marsh Mallow). Largest flowered perennial, | | |
| good border subject. In separate colors, red, pink, and crimson eye. 4 feet high | 1.00 | 6.00 |
| | | |

| | Per 12 | Per 100 |
|---|--|---------------------|
| HOLLYHOCK—(Althaea). A constant, old-fashioned gar- | | |
| den favorite, in separate colors of double flowers, | 1 00 | 2.00 |
| crimson, yellow, white, maroon and pink | 1.00 | 6.00 |
| Exquisite. A new introduction with mixed colors and | 1 00 | C 00 |
| curled edges | 1.00 | 6.00 |
| Imperator. One of the latest introductions, also frilled | 1 00 | C 00 |
| and fringed edges, flowers of all shades Mammoth Fringed. Mixed singles | $\begin{array}{c} 1.00 \\ .75 \end{array}$ | 6.00 |
| wammoth Fringed. Mixed Sliigles | .75 | 5.00 |
| IBERIS—Sempervirens (Candytuft). Evergreen foliage, | | |
| blooms early spring, covered with clusters of white | | |
| flowers. Good rock garden plant. 12 inches high | 1.50 | 8.00 |
| IRIS—Germanica ("Fleur de Lis"). The bearded Iris is | | |
| one of the most attractive and satisfactory plants for | | |
| season to season effects in any garden. (S) Standards. | | |
| (F) Falls. | | |
| Alcazar. Very large flowers, (S) Light mauve (F) deep | | |
| violet, golden bronze throat | .60 | $\boldsymbol{4.00}$ |
| Ambassadeur. (New.) (S) Bronze effect of yellow, (F) | | |
| Velvety violet-carmine, with beard conspicuous. | 4 00 | 2.00 |
| Orange brown specked. Late bloomer | 1.00 | 6.00 |
| Caprice. Colors effect a red-purple self. (S) Mathew's | | |
| purple, reticulated darker on lighter claw. (F) Violet- | | |
| purple to true purple becoming bluer as it fades. Fragrance of bruised grapes | .50 | 3.00 |
| Lent A. Williamson. (S) Lavender-violet, bronzed at | .00 | 3.00 |
| claw. (F) Velvety cotinga purple, bronzed and veined | | |
| on wide outer haft, yellow along the showy orange | | |
| beard. Tall grower and rating high | .60 | 4.00 |
| Lord of June. (S) Lavender or light chicory blue. (F) | | |
| Lavender-violet, whitish outer haft, with bronze, wide- | | |
| ly spaced venstions | .75 | 5.00 |
| Loreley. (S) Amber yellow, flecked raisin purple, (F) | | |
| Velvety blackish red purple, veined violet-purple on | | |
| lavender outer haft, and reticulated red brown on | | |
| bronze base | .50 | 3.00 |
| Rhein Nixe. (S) Pale lavender-white, bronzed on claw, | | |
| (F) true purple in sun to pansy violet, or hyacinth | F 0 | 0.00 |
| violet in dull light | .50 | 3.00 |
| Shekinah. (S) Sulphur yellow to pinard yellow reticulat- | | |
| ed olive on claw. (F) Empire yellow to light yellow on outer blade, haft reticulated darker to olive. Beard | | |
| coarse, dense, projecting, conspicuously orange tipped | .60 | 4.00 |
| Souv. de Mme. Gaudichau. (S) Bradley's violet. (F) | •00 | 4.00 |
| brilliant velvety blackish purple, veined on bronzed | | |
| outer haft | 1.50 | 8.00 |
| JAPANESE IRIS—(Iris Kaempferi). Last of the wonder- | | |
| ful Iris procession to bloom. Blooming in June and | | |
| July with a very large variety of colors. | | |
| Gekka-no-nami. Earliest to bloom, of a pure white, with | | |
| a creamy-white stigmas | 1.50 | 8.00 |
| Koki-no-Iro. Rich royal purple. | 1.50 | 8.00 |
| Zama-no-mori. Three petal variety, large flowers, white | | |
| with a heavy azure-blue zone, short white standards | | |
| margined blue | 1.25 | 9.00 |
| Uchin. Large, cerulean blue with extended blooming sea- | | |
| son | 1.50 | 10.00 |
| I AVENDIII A Ware (Sweet Towardon) Vanu frament | | |
| LAVENDULA—Vera (Sweet Lavender). Very fragrant and one of the most loved plants of the old fashioned | | |
| garden, a favorite because of delicate odor, silvery- | | |
| gray foliage, long spike of blue lavender flowers | 1.50 | 8.00 |
| | | - · • • |
| | | |

| | | _ |
|---|--------|-------------|
| LATHYRUS—Latifolius (Everlasting Sweet Pea). A climbing plant, can be trained for trellis work or ground cover. Beautiful sweet pea flower in red, pink | Per 12 | |
| and white Kansas Gay Feather). Very de- | 1.00 | 6.00 |
| sirable and interesting to grow. Valuable for cutting. 5 feet high, rosy purple flower | .75 | 5.00 |
| Scariosa. This form blooms a little before Pycnostachya, flowers purple | 1.00 | 6.00 |
| LINUM—Perenne Blue (Perennial Flax). This evergreen plant is very showy, with small buttercup flowers of blue drooping over sides of plant, good rock garden subject 18 inches high | 1.25 | 7.00 |
| LOBELIA—Cardinalis (Cardinal Flower). Thrives well in | 1.20 | 1.00 |
| shade, good for pond or stream plantings. Cardinal red flower. 2 feet high | 1.25 | 7.00 |
| July to September | 1.00 | 6.00 |
| LUPINUS—Polyphyllus (Lupine). A graceful growing plant with flowers on long stem. Does well in shade. 3 feet high. Blue, rose and white | 1.25 | 7.00 |
| Harkness Regal Mixture. A mixture of charming new colors | 1.25 | 8.00 |
| LYCHNIS—Chalcedonica (Maltese Cross). Very brilliant | 1.20 | 8.00 |
| red, 2 to 3 feet high | 1.00 | 6.00 |
| Viscaria—Splendens Fl. Pl. (Catchfly). Evergreen foliage, fragrant deep red flowers, good for cutting | 1.50 | 8.00 |
| LYTHRUM—Roseum Superbum (Loosestrife). A shrubby growing perennial. Flowers rose colored on leafy terminal spikes. 2½ to 3 feet | 1.25 | 7.00 |
| MERTENSIA—Virginica (Blue Bells). This native wood- land plant has found great favor for forcing purposes. And also is very attractive when placed among gar- | | |
| den plantings. Flowers of blue changing to a pink MONARDA—Cambridge Scarlet (Bee Balm). Highly aro- | 1.00 | 6.00 |
| matic foliage, flower a vivid scarlet, June to August. Attaining a height of 2 to 3 feet | 1.00 | 6.00 |
| MYOSOTIS—Palustris (Forget-me-not). Blooms profusely in early summer, flower of azure blue, in May and | 1.00 | <i>c</i> 00 |
| June. Dwarf, and does well in wet places NEPETA—Mussini (Ground Ivy; Catnip). A useful and pretty rock plant, compact and quick growing, beauti- | 1.00 | 6.00 |
| ful flowers of lavender in masses during June. 18 in. OENOTHERA—Missouriensis (Evening Primrose). Large | 1.25 | 7.00 |
| single yellow flowers, 3 to 4 inches across, blooming in the early morning and early evening. Closing through- | | |
| out the day. 12 inches | 1.50 | 8.00 |
| PAPAVER—(Poppy). What can give more startling effect than oriental poppy in a background? Oriental. These are grown from seed and have bloomed | | |
| one season with us. Large brilliant red flowers Beauty of Levermere. Dark crimson, black blotch petals. | .75 | 5.00 |
| Pots | 1.50 | 8.00 |
| Mrs. Perry. The best of the pink varieties. PotsOlympia. Very large flowered, flowers brilliant scarlet. | 1.50 | 8.00 |
| Pots. PENTSTEMON—Barbatus Toreyi (Beard Tongue). Has | | 8.00 |
| slender, deep scarlet red flowers and light green foliage. Blooms in June. 3 feet high | 1.25 | 7.00 |

| | D 10 | TD 400 |
|---|---|---|
| HARDY PHLOX—These old fashioned favorites are needed in all hardy border plantings to make them complete. Our spring plantings were lost so will be unable to furnish only varieties listed until fall. | Per 12 | Per 100 |
| B. Compte. French purple or wine color. The only Phlox | 1 50 | 0.00 |
| of this color, we know | $\begin{array}{c} 1.50 \\ 1.50 \end{array}$ | $\begin{array}{c} \textbf{8.00} \\ \textbf{8.00} \end{array}$ |
| Miss Lingard. Early white, good cut flower variety. Very | 1.00 | 0.00 |
| fragrant. Pots | 1.25 | 7.00 |
| Pink Beauty. A pink Miss Lingard. Stronger grower. Leaves of glossy green, throughout the summer, flow- | | |
| ers of a lavender shade | 2.00 | 10.00 |
| Rheinlander. Good salmon-pink, red eye | 1.25 | 7.00 |
| Special French. Light pink, large tresses of flowers | 1.50 | 7.00 |
| DWARF PHLOX AND ROCK GARDEN VARIETIES | | |
| Amoena. A very showy plant in early spring. Flowers of brightest pink | 1.25 | 7.00 |
| Divaricata Candenses—(Wild Sweet Williams). Very | 1.20 | 1.00 |
| fragrant in early spring. Flowers lavender | 1.00 | 6.00 |
| Ovata Carolina. Bright red flowers on 12 inch stems dur- | _,,, | |
| ing June and throughout the summer | 1.50 | 8.00 |
| blue, darker eye. Slow growing | 1.50 | 8.00 |
| SABULATA—OR CREEPING PHLOX are the foundation of rockery plantings. Blooming period starting in early spring. Covering assortments of attractive col- | | |
| ors. Alba. A pure white | 1.00 | 6.00 |
| Atropurpurea. (New.) This new introduction, add much to the desirablity, to the creepink Phlox group. The flowers are of a rich wine color, and shop up well in | 1.00 | 0.00 |
| any planting | 1.50 | 8.00 |
| Fairy. Somewhat like vivid in growing habit, flowers pale blue, darker eye. Slow growing | 1.25 | 7.00 |
| Lilicina. This variety is a very rapid grower and has a good appearance in rock plantings. Flowers of a light | 1.20 | 1.00 |
| Rosea (Moss Pink. Lays close to ground. Flowers of | 1.00 | 6.00 |
| bright rose pink in April and May. Very good | 1.00 | 6.00 |
| Rosea—(Later). This variety is similar to the above, but blooms two weeks later. By planting some of both | | |
| varieties, extends the blooming period Stellaria. A very attractive variety, very fine leaved, | 1.00 | 6.00 |
| flowers pale violet blue | 2.00 | 10.00 |
| Vivid. Very dark green foliage. Flowers bright pink, fiery red eye | .50 | 8.00 |
| PHYSOSTEGIA—(False Dragon Head.) It is extremely beautiful. Blooms in August. 2 to 3 feet in height. Valuable for cutting. | | 0.00 |
| Virginica. Spikes of rosy pink flowers | | 5.00 |
| Virginica Alba. White flowers | .75 | 5.00 |
| Virginica. Vivid. One of the best compact growers, free bloomer, August to November. Flowers violet mauve | 1.00 | 6.00 |
| PINKS—An old favorite in the garden. Flowers clove- scented. Very valuable in the hardy border, also for cutting. | | |
| Her Majesty. Pure white | 1.50 | 8.00 |
| Furst Bismarch (New Hybrid). In constant bloom from | | |
| June till frost. Will make a good rock garden subject. | | |
| Flowers of rose-pink in clusters, averaging a foot in | 1 50 | 0.00 |
| height | 1.50 | 8.00 |

| PHYSALIS—Francheti (Chinese Lantern Plant). A plant that is a favorite for Hallowe'en decorations. Produced generalist lanterns that hold color well when dried | Per 12 | Per 100 |
|---|------------|-------------|
| duces scarlet lanterns that hold color well when dried | .75 | 5.00 |
| PLATYCODON—Grandiflorum (Chinese Balloon Flower.) When in bud looks like an inflated balloon. Border plant and attractive. Blue or white | 1.00 | 6.00 |
| PYRETHRUM—Hybridum (Painted Daisy). Finely cut foliage, daisy like flowers of various shades of pink. Very valuable as a cut flower. June and July | 1.00 | 6.00 |
| PRIMULA—Veris (English Cowslip). One of spring's first flowers for rock gardens. Attractive plants for spring bedding designs, flowers of various shades | 1.50 | 8.00 |
| PLUMBAGO—Larpentae (Leadwort). Highly recommended for borders. Flowers of cobalt-blue with glossy green foliage, which in autumn turn to a reddish bronze | 1.25 | 7.00 |
| | 1.20 | 1.00 |
| RANUNCULUS—Repens fl. pl. (Creeping Buttercup). Very rapid growing, used very much in rockery. Flowers are a double yellow button | 1.00 | 6.00 |
| RUDBECKIA—Golden Glow. A showy character for mass work in borders. Large flowers of double yellow. 5 | 4.00 | 2.00 |
| to 6 feet highPurpurea. | 1.00 | 6.00 |
| SALVIA—Azurea Grandiflora (Hardy Sage). Very attractive and good cut flower. Flowers of azure blue, in August until frost. 3 to 4 feet | 1.00 | 6.00 |
| Pitcherii. A deep gentian blue form of the above. Very attractive in mass planting | 1.00 | 6.00 |
| SAPONARIA—Ocymoides (Soapwort). A very pretty dwarf creeper, covered with small bright pink flowers during July and August | 1.00 | 6.00 |
| SCABIOSA—Caucasica (Pincushion Flower.) (Blue Bonnet.) A good cut flower. Flowers of light-blue. Blooms from June to September | 1.50 | 8.00 |
| SEDUM—(Stone Crop). These plants have found more and more favor, as a rock garden subject. Very drouth resisting and will thrive in almost any soil. | | |
| Acre (Golden Moss). Bright yellow flowers, a dense car- | | |
| pet | 1.00 | 6.00 |
| Album. Dwarf, spreading, white flowers | 1.00 | 6.00 |
| Glaucum. Foliage purple, good | | 7.00 |
| Stahii. Compact growing, foliage crimson in fall | 1.00 | 6.00 |
| Sarmentosum. Dwarf. A trailer used for hanging over rockery work. Foliage yellow | 1.00 | 6.00 |
| Sieboldi. Glaucum foliage, pink flowers | 1.00 | 6.00 |
| Spurium Coccineum. Creeping, crimson flower on red | 1.00 | 0.00 |
| stem | 1.00 | 6.00 |
| Spectabile. Erect, grows 15 inches high, with clusters of | | F 00 |
| light pink flowers in August and September | .75 .75 | 5.00 5.00 |
| Spectabile Brilliant. Bright red form of above Spectabile Variegata. A form of Spectabile, leaves variegated. The attractive variegation is an outstanding | .75 | 5.00 |
| point in this rare perennial | 1.25 | 7.00 |

| SEMPERVIVUM (House Leek). A plant that has gained great favor in the rockery, for filling in crevices. Growing in rosettes. | Per 12 | Per 100 |
|---|--------|---------|
| Arachnoidium (Cobweb). The tips of the leaves are con- | | |
| nected together by silvery threads | 1.25 | 7.00 |
| Alberti. Evergreen, creeping, white flowers | 1.25 | 7.00 |
| Globiforum. Russian variety, very good | 1.25 | 7.00 |
| Tectorum (Common House Leek). This is the most common form in use | 1.00 | 6.00 |
| SILENE—Schafta (Moss Campion). A Rockery plant growing to a height of 6 inches. Flowers rose or pur- | | |
| ple and leaves in small rasettes | 1.50 | 8.00 |
| SPIREA—Filipendulu (Dropwort). This plant has a fern-like resemblance. The flowers are white | 1.25 | 7.00 |
| STATICE—Latifolia (Sea Lavender). Tufts or clumps of thick, leathery foliage and immense panicles of delicate blue flowers. Individual flowers very minute. Will last for months when dried | | 7.00 |
| STOKESIA—Cyanea Blue (Stokes' Aster). They are especially recommended for the front of border and may be used as a cut flower. | | 6.00 |
| | | |
| THYMUS—(Thyme). The mountain thymes are very desirable for the rock garden, having a romantic smell that is very pleasing. | | |
| Albus. White flowers, trailer | 1.00 | 6.00 |
| Azoricus. Rose purple, trailer | 1.00 | 6.00 |
| Citriodorus. Upright, flowers of lilac purple | | 6.00 |
| Coccineus. Crimson, trailer | 1.00 | 6.00 |
| Languinosus (Woolly Thyme). Creeping habit leaves of a gray, with a woolly appearance | 1.00 | 6.00 |
| TRITOMA-Pfitzeri (Red Hot Poker). A magnificent au- | | |
| tumn cut flower. Flowers of orange scarlet, in August | | |
| and September | 1.50 | 8.00 |
| Tiarella Cordifolia—(Foam Flower). An attractive plant | | |
| for partially shade. Flowers of a white feathery ap- | | |
| pearance. Height 12 inches | 1.00 | 6.00 |
| • | | |
| TUNICA—Saxifraga (Tunic Flower.) This plant is a very | | |
| dwarf ground cover. Creeper and resembles a fine | | 5.00 |
| grass, with tiny pinkish flowers all summer | .75 | 5.00 |
| VALERIANA Officinalis (Hardy Garden Heliotrope). | | |
| When in bloom has strong, sweet Heliotrope scent. | | |
| Flower spikes of white, tinted with rose | 1.25 | 7.00 |
| Coccinea. Flowers of reddish pink, very minute, in up- | | |
| right panicles, good for cutting | 1.00 | 6.00 |
| VERONICA-Incana. Gray silvery foliage, flowers ame- | | |
| thyst-blue. In July and August | 1.00 | 6.00 |
| Longifolia Subsessilis (Speedwell). This is, perhaps, one | | |
| of the most attractive of all blue-violet flowers for | | |
| borders. July to late September. 2 feet | 1.50 | 8.00 |
| Rupestris (True Blue). Dwarf ground cover, light blue | | |
| flowers, very dark green foliage. One of the choicest | 4 20 | 0.00 |
| rockery carpets | 1.50 | 8.00 |
| VINCA-Minor (Hardy Myrtle). Trailing evergreen plant. | | |
| For places grass will not grow and cemetery use | .75 | 5.00 |
| | | |

| VIOLA—(Tufted Pansy). Easily called the ever-blooming pansy. Blooms from early April until hard freezing. Brilliant color spots in the rockery. | | |
|--|------|-------|
| Admiration. Velvety wine purple | 1.00 | 6.00 |
| Apricot. A new, rich warm apricot color. Much in de- | | |
| mand | 1.50 | 8.00 |
| Blue Perfection. Light blue | 1.00 | 6.00 |
| Lutea Splendens. Bright yellow | 1.00 | 6.00 |
| White Perfection. Clean white | 1.00 | 6.00 |
| Jersey Gem. Rich violet | 1.25 | 7.00 |
| VIOLA ODORATA—(Sweet Violets). | | |
| Prince of Wales. This sweet scented plant is very desir- | | |
| able as a forcing proposition, and also a good subject for any garden planting. Flowers rich purple | 1.25 | 7.00 |
| Double Russian. A double form of the above, and very | 1.20 | 1.00 |
| hardy. Pots | 1.50 | 8.00 |
| Rosina. A new form of Viola in a pink shade, useful as a novelty in the rockery. Sweet scented as the other | | |
| Violets | 1.50 | 8.00 |
| YUCCA—Filmentosa (Spanish Bayonet). The stiff, broad, sword-shaped leaves give it the name of Spanish Bayonet. The flowers are bell shaped and creamy-white. | | |
| 5 feet | 1.25 | 7.00 |
| Filamentosa Variegata. A variegated form of the above. | | |
| The leaves are striped with cream | 1.50 | 10.00 |



